SENSOR DE CONTACTO PARA PUERTAS DE BASTIDORES - FICHA TÉCNICA

Publicado en 02-07-2026 por barpaadminuser

CABINET DOOR CONTACT SENSOR

DESCRIPTION

The BS 1011 is a Rack Door Sensor designed to detect whether a door is open or closed. It includes mounting accessories and a special 1-metre cable, enabling simple and reliable installation in technical environments.

*Brand product BirSens integrated into the ORION solution.



CE

PHYSICAL CHARACTERISTICS

Code	82450108001
Cable Distance (m)	1
Cross Section of the Cable Connection	2x1mm²
Contact Current	6A
Isolation Resistance	10 MΩ min
Operating Temperature	-25 - 80ºC
Protection Class	IP67
Contact Material	AgNi
Mounting	Rack Cabinet Mounted
Warning Notifications	Message on the LCD screen; By email, text message and phone call; Audible alert; Siren; Notification in the ODCM app.

Product developed and manufactured by BirSens.
barpa offers this solution as an integral part of the ORION solution, ensuring seamless integration and customer support.

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu